

The undergraduate paediatric surgery curriculum in Nigeria – how have we fared?

FRANCIS A. UBA, B.M. CH.B., F.M.C.S., F.W.A.C.S.

Department of Surgery, Jos University Teaching Hospital, Jos, Nigeria

JOHN Y. CHINDA, M.B. B.S., F.W.A.C.S.

Department of Surgery, University of Maiduguri Teaching Hospital, Maiduguri, Nigeria

LUKMAN O. ABDUR-RAHAMAN, M.B. B.S., F.W.C.A.S.

Department of Surgery, University of Ilorin Teaching Hospital, Ilorin, Nigeria

A. MOHAMMAD, M.B. B.S., F.W.A.C.S.

Department of Surgery, Aminu Kano Teaching Hospital/Bayero University, Kano, Nigeria

STELLA C. UBA, R.N., R.M., DIP. (I.C.N.), B.SC., P.G.D.E.

Department of Nursing, Jos University Teaching Hospital

Summary

Background. In the Nigerian setting the curriculum of each medical school is the sole responsibility of the senate of the respective university. This arrangement results in variability in learning objectives and in students' acquisition of skills to manage clinical problems. Educational objectives can be used to both standardise and evaluate curricula. This study aimed to: (i) identify main objectives of paediatric surgery at the undergraduate level; (ii) establish students' knowledge with regard to these objectives; (iii) evaluate the input of both specialists and non-specialists to these objectives; and (iv) examine the status of undergraduate paediatric surgery instruction in our medical schools.

Materials and methods. This was a cross-sectional survey of students, teachers and undergraduate deans with regard to undergraduate paediatric surgery teaching. The cognitive and perceived level of knowledge about common paediatric surgical conditions of 4th- and 6th-year medical students in four randomly selected Nigerian universities was surveyed using educational objectives. The same objectives were used to survey 26 paediatric surgeons, 46 senior house officers and 46 general surgeons. Undergraduate paediatric surgery curricula, obtained from the offices of the deans of the four medical schools, were also reviewed. Data were analysed using descriptive methods and one-way analysis of variance (ANOVA).

Results. The 6th-year students' and house officers' perceived knowledge of the objectives was remarkably similar. Overall, students' familiarity scores increased from the 4th

to the 6th year ($p < 0.05$), but fell short of the expected proficiency levels in the 6th year.

The general surgeons and paediatric surgeons expressed similar expectations. Thirty items on the objectives were considered to be essential (mean score > 2.0) and 8 items to be non-essential (mean score < 1.5) by paediatric surgeons, whereas the general surgeons regarded 27 items to be essential (mean score > 2.0) and 11 to be non-essential (mean score < 1.5).

Data from the deans' offices varied, but indicated limited exposure to paediatric surgery in the undergraduate curriculum in 2 (50%) of the 4 institutions.

Conclusion. The study clarified the relationship between the expected and perceived students' knowledge of these objectives, and identified areas requiring specific attention. These results, and perhaps similar ones in future, can be used towards establishing a unified, standardised undergraduate paediatric surgery curriculum.

Undergraduate paediatric surgery poses the challenges of teaching future doctors about surgical procedures in and the care of children, and about the intersection of the two.¹ Formulating an undergraduate paediatric general surgery curriculum that will meet these challenges is not an easy task. Although paediatric surgeons are the authorities on their specialty, input from other physicians regarding specific needs arising from experience in the course of their practice,² and from other stakeholders, including students and even the public, may be invaluable in compiling the undergraduate paediatric general surgery curriculum.

The standard method of defining a curriculum through a set of objectives is well documented.³⁻⁷ Many developed countries have defined clearly the contents of their undergraduate paediatric general surgery curricula and the study objectives in paediatric general surgery at the undergraduate level, but in our setting there is a dearth of such information. It is in this context that we undertook a cross-sectional survey of medical students, teachers in general paediatric surgery, and deans of some medical schools in Nigeria. The study aimed to: (i) identify the main objectives of paediatric surgery at the undergraduate level; (ii) establish the content of students' knowledge with regard to these objectives; (iii) evaluate the input of both specialists and non-specialists to these objectives; and (iv) examine the status of undergraduate paediatric surgery instruction in our medical schools.

Materials and methods

The study was a cross-sectional survey of teachers, students and undergraduate deans involved in teaching and managing paediatric general surgical problems, using a list of paediatric general surgery undergraduate objectives.⁸ Four medical schools were randomly chosen for the study, two each from

the northern and southern parts of Nigeria. Other stakeholder groups, such as paediatricians, were deliberately excluded from the study because the survey was limited to cognitive objectives in the surgical faculty.

The cognitive and perceived level of knowledge about common paediatric surgical conditions of a cross-section of 4th- and 6th-year medical students in four randomly selected Nigerian universities was surveyed using existing educational objectives. The same objectives were used to survey 26 paediatric surgeons, 46 senior house officers and 46 general surgeons.

The list of cognitive objectives (Table I) used in this study was compiled from eight sources: (i) the list provided by Postuma and the Education Committee of the Canadian Association of Pediatric Surgeons (CAPS);⁹ (ii) the *Manual of Surgical Objectives* of the Association for Surgical Education (ASE);¹⁰ (iii) the *Objectives for the Qualifying Examination of the Medical Council of Canada*;¹¹ (iv) the objectives recommended by Helikson and Wolfson in the chapter on 'Paediatric surgery' in the *Essentials of Surgical Specialties*;¹² and (v) the deans' offices of the four medical schools surveyed. The compilation process involved selecting only those objectives found in at least two of the above sources.

TABLE I. LIST OF EXISTING EDUCATIONAL OBJECTIVES

General	Necrotising enterocolitis
Fluid and electrolyte	Intussusception
Child abuse	Inflammatory bowel disease
Paediatric trauma principles	Appendicitis
Head and neck	Intestinal polyps
Branchial cleft anomalies	Hirschsprung's disease
Thyroglossal duct cyst	Imperforate anus
Cervical lymphadenopathy	Anorectal conditions
Torticollis	Liver, spleen and pancreas
Thorax	Obstructive jaundice in the infant
Acute respiratory distress	Cholelithiasis
Foreign body aspiration/ingestion	Biliary atresia
Epiglottitis	Choledochal cyst
Pierre Robin syndrome	Portal hypertension
Tracheo-oesophageal fistula	Hepatic and splenic trauma
Congenital diaphragmatic hernia	Pancreatitis
Congenital lobar emphysema	Abdominal wall and genito-urinary tract
Congenital cystic lung disease	Gastroschisis/omphalocele
Pulmonary sequestration	Umbilical hernia
Bronchiectasis	Swellings of the groin and scrotum
Empyema	Undescended testicle
Spontaneous pneumothorax	Testicular torsion
Vascular rings	Circumcision
Gastro-intestinal system	Ovarian cysts
Acute abdominal pain	Haematocolpos
Gastro-intestinal bleeding	Ambiguous genitalia
Gastro-oesophageal reflux	Paediatric tumours
Intestinal obstruction in the newborn	Haemangioma/lymphangioma
Hypertrophic pyloric stenosis	Abdominal masses
Intestinal malrotation/volvulus	Neuroblastoma
Meconium ileus	Wilms' tumour
Meconium plug syndrome	Teratoma
Intestinal duplication	Rhabdomyosarcoma
Omphalomesenteric duct lesions	
Meckel's diverticulum	

The learning objectives were incorporated in four different structured questionnaires: one for medical students, one for house officers, one for general surgeons, and one for paediatric surgeons. Each questionnaire included several demographic questions particular to the group targeted, as well as instructions for scoring the familiarity or importance of the items on the objectives list.

The scoring instructions for students were as follows: (i) I have never heard of the condition = 0; (ii) I have heard of the condition, but am not familiar with it = 1; (iii) I can recognise the signs and symptoms of the condition = 2; and (iv) I am confident with the diagnosis and initial management of the condition = 3.

The instructions for the doctors were as follows: Undergraduate medical students should: (i) not be required to be aware of the condition = 0; (ii) be aware of the condition = 1; (iii) be able to recognise the signs and symptoms of the condition = 2; (iv) be confident with the diagnosis and initial management of the condition = 3.

A different questionnaire, designed only to generate information about instruction in paediatric general surgery in respective schools, was sent to the respective deans of the medical schools; this did not include the learning objectives.

For the doctors, an objective was considered 'non-essential' if the average score was <1.5, 'indeterminate' if it was ≥ 1.5 but <2.0, and 'essential' if it was ≥ 2.0 . Similarly, for the students the level of knowledge was considered 'inadequate' if the average score was <1.5, 'fair' if it was ≥ 1.5 but <2.0, and 'adequate' if it was ≥ 2.0 .

Data from the returned questionnaires were collated and analysed on an Excel spreadsheet. Statistical analysis included descriptive methods and one-way analysis of variance (ANOVA); $p < 0.05$ was considered significant.

Results

A total of 600 questionnaires (150 in each medical school) were administered to the students, of whom 512 (85.3%) responded, comprising 308 from 4th-year classes (60.2%) and 204 from 6th-year classes (39.8%).

A total of 200 questionnaires were sent to the doctors, of whom 118 (59.0%) responded, comprising 46 senior house officers (39.0%), 26 paediatric surgeons (22.0%), and 46 general surgeons (39.0%). The four undergraduate deans responded to the questionnaires sent to them.

Overall, students' familiarity scores increased from the 4th to the 6th year (Fig. 1). The scores indicated that the 4th-year classes had an inadequate level of knowledge on topics relating to surgery of the paediatric hepatobiliary system, gastro-enterology, the cardiothoracic and head-neck regions, oncology and paediatric surgery in general (mean scores <1.5). Their level of knowledge was fair with regard to the genito-urinary (GU) system and anterior abdominal wall defects (mean scores 1.5). The level of knowledge of the 6th-year class was inadequate with regard to the paediatric hepatobiliary system, the cardiothoracic region and paediatric surgery in general (mean scores <1.5), and their knowledge about the GU system, anterior abdominal wall defects, head and neck and oncology was fair (mean scores ≤ 1.5). Although the 6th-year class had a correspondingly superior level of knowledge, their knowledge approximated the expected level of proficiency only in paediatric gastroenterology (mean score >2.0).




Fig. 1. Comparison of self-assessed cognitive knowledge level of paediatric surgery between 4th- and 6th-year medical students (4th-year v. 6th-year mean score $p > 0.05$ for all except gastro-intestinal ($p = 0.03$)).

On the basis of the definitions and arbitrary cut-offs provided, 16 objectives were considered by all doctors to be non-essential and 38 to be essential (Table II). The listing of educational objectives showed that the senior house officers' expectations of what objective groups should be considered essential in the undergraduate general paediatric surgery curriculum were generally lower than those of the surgeons ($p < 0.05$). The general surgeons' and paediatric surgeons' mean scores were dissimilar in most instances (Fig. 2).

Overall the data from the deans' offices showed considerable variations in both number of hours allotted to paediatric instruction and the proportions of clerkship exposure of students between paediatric general surgery and other surgical specialties (Table III). The instruction formats were mainly formal lecturing, teaching and organised tutorials; only one of the schools had a full, functional information and communication technology (ICT) department and medical illustration unit (MITU).

Discussion

Surveys of specialty objectives can be useful in defining educational priorities and identifying areas of proficiency and deficiency. We wish to make it clear that although individual objectives may show specific trends, we grouped them into broad body-area groups for ease of interpretation. The wide variation in mean scores across objectives permitted us to classify several of them as 'essential' as well as to identify several 'non-essentials'.

The study revealed several significant points. First, the students' self-assessed familiarity with the objectives showed a significant rise between the 4th- and the 6th-year classes




Fig. 2. Comparison between non-specialist and specialist surgeons regarding the areas considered important in the undergraduate paediatric general surgery curriculum. General surgeon v. paediatric surgeon: $p > 0.05$ for all except hepatobiliary, head and neck, and abdominal wall defect/genito-urinary ($p < 0.05$); general surgeon v. senior house officer: $p > 0.05$ for all except paediatric surgery in general ($p < 0.05$); senior house officer v. paediatric surgeon: $p < 0.05$ for all.

TABLE II. WHAT DOCTORS CONSIDERED ESSENTIAL AND NON-ESSENTIAL IN THE UNDERGRADUATE GENERAL PAEDIATRIC SURGERY CURRICULUM

Essentials

- Paediatric surgery in general
 - Fluid and electrolytes
- Head and neck
 - Cleft lip/palate
 - Branchial duct lesions
 - Tongue tie
 - Foreign body ingestion/aspiration
 - Cervical lymphadenopathy
- Thorax
 - Tracheo-oesophageal fistula
 - Spontaneous pneumothorax
 - Gastro-oesophageal reflux
- Gastro-intestinal
 - Hirschsprung's disease
 - Imperforate anus
 - Malrotation/volvulus
 - Anorectal conditions (rectal prolapse)
 - Intussusceptions
 - Neonatal intestinal obstruction
 - Appendicitis
 - Omphalomesenteric duct lesions
 - Infantile hypertrophic pyloric stenosis
 - Gastro-intestinal bleeding
 - Chronic/acute abdominal pain
- Hepatobiliary
 - Neonatal obstructive jaundice
 - Choledochal cyst
 - Biliary atresia
- Abdominal wall
 - Umbilical hernia
 - Omphalocele
 - Gastroschisis
 - Inguinal hernia
- Genito-urinary
 - Hypospadias
 - Testicular torsion
 - Circumcision
 - Hydrocele
 - Undescended testis
 - Acute scrotal/inguinal swellings
- Tumours
 - Abdominal masses
- Others
 - Hepatic/splenic trauma
 - Head injury
 - Spinal bifida
 - Paediatric trauma/burns

Non-essentials

- Head and neck
 - Epiglottitis/adenoids
 - Torticollis
 - Acute respiratory distress
 - Pierre-Robin syndrome
- Thorax
 - Vascular rings
 - Congenital cystic disease of the lung
 - Congenital lobar emphysema
 - Pulmonary sequestration
- Gastro-intestinal
 - Intestinal duplication
 - Intestinal polyps
 - Meckel's diverticulum
 - Inflammatory bowel disease
 - Necrotising enterocolitis
- Hepatobiliary
 - Cholecystitis
- Genito-urinary
 - Haematocolpos
- Others
 - Child abuse

in almost all groups, especially the GI group. This probably reflects the impact of the intense revision, including group tutorials, organised to prepare the 6th-years for their final clinical examinations. As was also reported by Poenaru and Woo,⁸ the thoracic group in this study did not show a marked variation in familiarity score between the two classes. We agree with Poenaru and Woo⁸ that this could have been because the thoracic group may have comprised relatively

rare conditions that are infrequently encountered by students.

Secondly, senior house officers' scores fell short of the doctors' expected competency scores, probably because after graduation the young doctors could not retain what had been learnt at medical school. This finding is significant because it is a measure of the adequacy of teaching efforts in the specialty.

TABLE III. EXPOSURE OF MEDICAL STUDENTS TO THE UNDERGRADUATE PAEDIATRIC SURGERY CURRICULUM

Medical school data	4th year	6th year
Average duration of clerkship posting in paediatric surgery	4.2 weeks	4.4 weeks
Mean number of sessions of paediatric surgery instruction within the general surgical clerkship	1.0 weeks	1.2 weeks
Mean number of hours of instruction/week	1.0	1.3
Mean duration of clerkship/theatre rotation	2.1 weeks	2.2 weeks

Thirdly, in contrast to other similar studies^{3,6-8} we found a marked dissimilarity between the general surgeons' scores and the paediatric surgeons' scores. This finding is not surprising, since much of the challenge of teaching paediatric surgery at the undergraduate level has to do with the selection of the limited material that must be 'covered' from the wealth of knowledge in the specialty, and this decision has traditionally been made by the paediatric surgical teaching faculty. The paediatric surgeons should therefore be considered the authorities on any individual topic in their specialty. This does not mean that they should monopolise instructional needs within their specialty; they may need the input of other stakeholders, specialists and non-specialists alike, in formulating the curriculum.² Our decision to survey graduating medical students and practising senior house officers as well as surgeons was made to ensure varied input within the profession, as suggested by Poenaru and Woo⁸ and Lawrence *et al.*³

The students' exposure to paediatric surgery varied from school to school. This variability in exposure is a direct consequence of the situation in Nigeria, where the curriculum of each medical school is the sole responsibility of the senate of the respective university.¹³ The lack of uniformity in curriculum implementation has some dire consequences, such as impeding successful transfer of students between medical schools and lack of uniform practice among graduates in the country. Although the law empowers the Medical and Dental Council of Nigeria to provide guidelines on the minimum standards of medical education and accredit training institutions at prescribed intervals to ensure the maintenance of such standards,¹⁴ efforts to standardise undergraduate paediatric surgery curricula and evaluate them using educational objectives to improve uniformity of the students' learning will be a step in a right direction.

Although limited by a number of factors, including the regional nature of the survey, the self-report method used and the cognitive objectives tested, this study has several important take-home points.

1. The study has shown both the expected and perceived student mastery of a set of educational objectives, and has identified areas where specific emphasis is required.

2. A revision of objectives based on broad stakeholder

input may be necessary to standardise the undergraduate curriculum for paediatric general surgery in our setting.

3. Both specialist surgeons and non-specialist doctors identified similar knowledge objectives for undergraduate paediatric surgery, but graded them differently.

4. Medical students' familiarity with these objectives increased significantly during their clerkship and approached the doctors' expectations, despite the limited and varied exposure to paediatric surgery provided by the medical schools.

We conclude that exposure to paediatric surgery in undergraduate curriculum is limited and varied in our setting. A revision of objectives embracing a broad stakeholder input may be necessary to standardise the undergraduate curriculum for paediatric general surgery. Other similar studies will be necessary to provide a complete and reliable curriculum base for undergraduate pediatric surgery.

REFERENCES

- Karp MP, Hassett JM, Doerr RJ, *et al.* The role of pediatric surgery in the medical school curriculum. *J Pediatr Surg* 1989; 24: 39-41.
- Spratt JS, Papp KK. Practicing primary care physicians' perspectives on the junior surgical clerkship. Paper presented at the 16th Annual Meeting of the Association for Surgical Education, Lexington, KY, April 1996.
- Lawrence PF, Alexander RH, Bell RM, *et al.* Determining the content of a surgical curriculum. *Surgery* 1983; 94: 309-317.
- ASE Committee on Curriculum. *Manual of Surgical Objectives*. 3rd ed. Association for Surgical Education, 1990.
- Snow N, Imbembo AL. Thoracic surgical content of an undergraduate surgical curriculum. *Surgery* 1986; 100: 83-88.
- Ganzel TM, Martinez SA. Are we teaching medical students what they need to know? *Otolaryngol Head Neck Surg* 1989; 100: 339-344.
- Prater MA, Smith DJ Jr. Determining undergraduate curriculum content in plastic surgery. *Plast Reconstr Surg* 1989; 84: 529-533.
- Poenaru D, Woo M. Undergraduate pediatric surgery objectives: goal and reality. *J Pediatr Surg* 1998; 33(6): 852-855.
- Postuma R. The pediatric general surgery undergraduate medical curriculum: What should medical students learn? *J Pediatr Surg* 1987; 22: 746-749.
- Committee on Curriculum. *Manual of Surgical Objectives for Medical Students*. 3rd ed. Association for Surgical Education, 1990.
- Medical Council of Canada. *Objectives for the Qualifying Examination*. Ottawa: Medical Council of Canada, 1992.
- Helikson MA, Wolfson PJ. Pediatric Surgery: Surgical diseases of children. In: Lawrence PF, Bell RM, Dayton MT, eds. *Essentials of Surgical Specialties*. Baltimore, MD: Williams & Wilkins, 1993: 49-87.
- Ajayi OO, Adebamowo CA. Surgery in Nigeria. *Arch Surg* 1999; 134:06-211.
- Guidelines on Minimum Standards of Medical Education*. Lagos: Medical and Dental Council of Nigeria, 1984.